Dr. Debra Jaliman 931 Fifth Ave New York, NY 10021

212-517-8855 email: djalimanmd@gmail.com

POST-OPERATIVE WOUND CARE INSTRUCTIONS

NOTE: If bleeding should occur, apply 20 minutes of constant pressure.

Do this with sterile gauze or a clean dry cloth

Surgery WITHOUT stitches:

- 1. Wash hands with antibacterial soap before caring for the biopsy site.
- 2. Cleanse the biopsy site daily with RUBBING ALCOHOL (use cotton ball or q-tip)
- 3. Once the area is dry, apply either: <u>AQUAPHOR or NEOSPORIN or POLYSPORIN</u> ointment or NEOPERICIN only if prescribed.
- 4. Cover the site with either a <u>BAND-AID or DUODERM EXTRA THIN or TELFA</u> and cut to size of the wound.
- 5. Change the bandage once daily, preferably after showering for the next 5-7 days. Keep it dry and clean until the wound is healed.

Surgery WITH stitches:

PLEASE MAKE AN APPOINTMENT 11 DAYS AFTER PROCEDURE FOR SUTURE REMOVAL OR AS DIRECTED BY A DOCTOR

- 1. Wash hands with antibacterial soap before caring for the biopsy site.
- 2. Cleanse the biopsy site daily with RUBBING ALCOHOL (use cotton ball or q-tip)
- 3. Once the area is dry, apply either: PRESCRIBED OINTMENT or AQUAPHOR or NEOSPORIN or POLYSPORIN ointment.
- 4. Cover the site with either a <u>BAND-AID or DUODERM EXTRA THIN or TELFA</u> and cut to size of the wound.
 - **DUODERM EXTRA THIN** sheets are available in the office: 1 sheet= \$20
- 5. Change the bandage once daily, preferably after showering for the next 5-7 days. Keep it dry and clean until the wound is healed.
- 6. PLEASE WAIT 24-48 HRS TO EXERCISE.

Please note all surgeries may result in a scar and/or red mark or discoloration to the skin. To improve it you may require a laser treatment which is not covered by insurance. Please ask the assistant for more details.